

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 17.05.2023

Version number 3 (replaces version 2)

Revision: 10.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **MARISEAL 400W**

Safety data sheet no.: XXP017318

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Construction chemicals

Waterproofing membrane

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Manufacturer/Supplier:

MARIS POLYMERS S.M.S.A.

Industrial Area of Inofita, 32 011 Inofita, Greece

Tel. : +30 22620 32918-9

e-mail: marispolymers@saint-gobain.com

Distributor:

Saint-Gobain Construction Products Polska Sp. z o.o.

ul. Okrężna 16, 44-100 Gliwice

Phone: +48 41 35 69 317 (Mon-Fri 9.00-16.00)

e-mail: SDS.pl@saint-gobain.com

1.4 Emergency telephone number:

112 (emergency number), 999 (ambulance), 998 (fire department).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms Void

Signal word Void

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Information according to Biocidal Products Regulation (EU) 528/2012: contains

Active substance for preservation during storage: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (CAS no.: 55965-84-9)

(Contd. on page 2)

EUG

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 17.05.2023

Version number 3 (replaces version 2)

Revision: 10.05.2023

Trade name MARISEAL 400W

(Contd. of page 1)

EUH208 Contains reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
 EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture consisting of the following components.

Dangerous components:

CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17-xxxx	titanium dioxide substance with a Community workplace exposure limit	≥20-<30%
CAS: 3470-98-2 EINECS: 222-437-8 Reg.nr.: 01-2120062728-48-xxxx	1-butylpyrrolidin-2-one ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥2.5-<10%
CAS: 1314-13-2 EINECS: 215-222-5 Index number: 030-013-00-7 Reg.nr.: 01-2119463881-32-xxxx	zinc oxide ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.25-<2.5%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-xxxx	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3- one [EC no. 220-239- 6] (3:1) ⚠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%

SVHC Void

Additional information

(CAS:13463-67-7) Titanium dioxide

Note 10 of CLP classification: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 17.05.2023

Version number 3 (replaces version 2)

Revision: 10.05.2023

Trade name MARISEAL 400W

(Contd. of page 2)

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Seek immediate medical advice

After inhalation

Supply fresh air and to be sure call for a doctor.

Seek medical treatment in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact

Remove contaminated gloves, clothing, footwear or other items and wash thoroughly before re-use.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

Protect unharmed eye.

Seek immediate medical advice.

After swallowing

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO₂, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Sand

Earth

5.2 Special hazards arising from the substance or mixture Zinc oxide (ZnO)

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

EUG

(Contd. on page 4)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 17.05.2023

Version number 3 (replaces version 2)

Revision: 10.05.2023

Trade name MARISEAL 400W

(Contd. of page 3)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid inhalation of vapors.

Avoid contact with skin and eyes.

Ensure adequate ventilation.

For non-emergency personnel Avoid contact with dripping or leaking material.

For emergency responders

Wear protective equipment. Keep unprotected persons away.

First-aid responders must wear protective clothing, gloves, goggles and respiratory device with filter type A.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb with sawdust or other combustible absorbents.

Absorb liquid components with liquid-binding material.

Dispose of contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do not breath vapours.

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with skin and eyes.

Do not drink or eat while working. Wash hands thoroughly before breaks and after finishing work.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Prevent any seepage into the ground.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

EUG

(Contd. on page 5)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 17.05.2023

Version number 3 (replaces version 2)

Revision: 10.05.2023

Trade name MARISEAL 400W

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs

CAS: 13463-67-7 titanium dioxide

Inhalative	Derived No Effect Level	0.17 mg/m ³ (worker local long term value) 0.028 mg/m ³ (consumer local long term value)
------------	-------------------------	---

CAS: 3470-98-2 1-butylpyrrolidin-2-one

Oral	Derived No Effect Level	4 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	10 mg/kgxday (worker systemic long term value) 5 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	24.1 mg/m ³ (worker systemic long term value) 4.29 mg/m ³ (consumer systemic long term value)

CAS: 1314-13-2 zinc oxide

Oral	Derived No Effect Level	0.83 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	83 mg/kgxday (worker systemic long term value) 83 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	5 mg/m ³ (worker systemic long term value) 2.5 mg/m ³ (consumer systemic long term value)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

Oral	Derived No Effect Level	0.09 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.02 mg/m ³ (worker local long term value) 0.02 mg/m ³ (consumer local long term value)

PNECs

CAS: 1314-13-2 zinc oxide

Predicted No-Effect Concentration	0.0206 mg/kgxdwt (fresh water rating factor)
Predicted No-Effect Concentration	0.0061 mg/l (sea water rating factor) 0.0206 mg/l (fresh water rating factor)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

Predicted No-Effect Concentration	0.01 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor)

CAS No. / Designation of material / % / Type / Value / Unit

CAS: 13463-67-7 titanium dioxide

AGW (Germany)	Long-term value: 1.25* 10** mg/m ³ 2(II);*alveolengängig**einatembare; AGS, DFG, Y
GV (Denmark)	Short-term value: 12 mg/m ³ Long-term value: 6 mg/m ³ K, som Ti

(Contd. on page 6)

EUG

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 17.05.2023

Version number 3 (replaces version 2)

Revision: 10.05.2023

Trade name MARISEAL 400W

(Contd. of page 5)

LEP (Spain)	Long-term value: 10 mg/m ³
TWA (Italy)	Long-term value: 10 mg/m ³ A4
VLE (Portugal)	Long-term value: 10 mg/m ³ A4; Irritação do TRI
OEL (Sweden)	Long-term value: 5 mg/m ³ totaldamm
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	
MAK (Germany)	Long-term value: 0.2E mg/m ³ vgl.Abschn.Xc

8.2 Exposure controls

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Ensure adequate ventilation during use.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Respiratory protection required in insufficiently ventilated working areas and during spraying.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Combination of charcoal filter and particulate filter A2-P2 (EN 529)

Hand protection

Protective gloves against chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.

Due to missing tests no recommendation to the glove material can be given for the product/ the mixture/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Butyl rubber, BR

Fluorocarbon rubber (FKM-Viton)

Recommended thickness of the material: ≥ 0.5 (BR) ; 0.4 (FKM) mm

Recommendation: contaminated gloves should be disposed of.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined breakthrough times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the breakthrough time, is recommended.

(Contd. on page 7)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 17.05.2023

Version number 3 (replaces version 2)

Revision: 10.05.2023

Trade name MARISEAL 400W

(Contd. of page 6)

For the mixture of chemicals mentioned below the breakthrough time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

Eye/face protection

Protective eyewear (standard EN 166)

Tightly sealed goggles

Body protection:

Chemically resistant protective work clothing (EN 14605)

Boots

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour:	Transparent
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Kinematic viscosity dynamic:	Not determined.
Solubility	
Water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined
Relative density	Not determined.
Bulk density:	Not applicable.
Vapour density	Not determined.

9.2 Other information

Appearance:

Form: Liquid

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

(Contd. on page 8)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 17.05.2023

Version number 3 (replaces version 2)

Revision: 10.05.2023

Trade name MARISEAL 400W

(Contd. of page 7)

Minimum ignition energy	
Solvent separation test:	Not determined
Change in condition	
Softening point/range	
Oxidising properties	Not considered as oxidising.
Evaporation rate	Not determined.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided: Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid Avoid heat, sparkles, naked flame or other sources of ignition.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Zinc Oxides

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	/	Type	/	Value	/	Species
Oral	LD50			7,276-48,508 mg/kg		(Rat)
Inhalative	LC50/4 h			136 mg/l		(Rat)

(Contd. on page 9)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 17.05.2023

Version number 3 (replaces version 2)

Revision: 10.05.2023

Trade name MARISEAL 400W

(Contd. of page 8)

CAS: 13463-67-7 titanium dioxide

Oral	LD50	>5,000 mg/kg (Rat)
------	------	--------------------

CAS: 3470-98-2 1-butylpyrrolidin-2-one

Oral	LD50	>300-2,000 mg/kg (Rat)
------	------	------------------------

Dermal	LD50	>2,000 mg/kg (Rat)
--------	------	--------------------

CAS: 1314-13-2 zinc oxide

Oral	LD50	>5,000 mg/kg (Rat)
------	------	--------------------

Dermal	LD50	>2,000 mg/kg (Rat)
--------	------	--------------------

Inhalative	LC50/4 h	>5.7 mg/l (Rat)
------------	----------	-----------------

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

Oral	LD50	457 mg/kg (Rat)
------	------	-----------------

Dermal	LD50	660 mg/kg (Rabbit)
--------	------	--------------------

Inhalative	LC50/4 h	2.36 mg/l (Rat)
------------	----------	-----------------

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Sensitising effect by skin contact is possible by prolonged exposure.

May cause an allergic skin reaction to already sensitised individuals (supplemental labelling EUH208 in Europe)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards
Endocrine disrupting properties

CAS: 541-02-6	Decamethylcyclopentasiloxane	List II
---------------	------------------------------	---------

CAS: 556-67-2	Octamethylcyclotetrasiloxane	List II; III
---------------	------------------------------	--------------

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

Type of test / Effective concentration / Method / Assessment
CAS: 13463-67-7 titanium dioxide

IC50/72h	1 mg/l (Fish)
----------	---------------

LC50/48h	100 mg/l (Daphnia magna)
----------	--------------------------

EC50/48h	2.41-103.9 mg/l (Daphnia magna)
----------	---------------------------------

EC50/72h	3.58-100 mg/l (Daphnia magna)
----------	-------------------------------

	100 mg/l (Algae)
--	------------------

(Contd. on page 10)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 17.05.2023

Version number 3 (replaces version 2)

Revision: 10.05.2023

Trade name MARISEAL 400W

(Contd. of page 9)

NOEC (72h)	100 mg/l (Algae)
NOEC (14d)	0.87-1.1 mg/l (Fish)
NOEC (21d)	5 mg/l (Daphnia magna)

CAS: 3470-98-2 1-butylpyrrolidin-2-one

LC50/96h	100 mg/l (Fish)
EC50/48h	100 mg/l (Daphnia magna)
EC50/72h	130 mg/l (Algae)
NOEC (21d)	100 mg/l (Daphnia magna)

CAS: 1314-13-2 zinc oxide

IC50/72h	0.14 mg/l (Selenastrum capricornutum (Green algae))
NOEC (72h)	0.06 mg/l (Algae)
EC 10	0.1 mg/l (Activated sludge)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

LC50/48h	0.18 mg/l (Daphnia magna)
LC50/96h	0.282 mg/l (Daphnia magna)
	0.19-0.3 mg/l (Fish)
EC50/24h	0.109 mg/l (Daphnia magna)
	0.0107 mg/l (Algae)
EC50/48h	0.16 mg/l (Daphnia magna)
	0.0181-0.0371 mg/l (Algae)
EC50/72h	0.0063-0.0273 mg/l (Algae)
NOEC (14d)	0.035 mg/l (Daphnia magna)
NOEC (21d)	0.011-1.05 mg/l (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Remark: Harmful to fish

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 13463-67-7 titanium dioxide

EC 50 (3h)	1,000 mg/l (Activated sludge)
------------	-------------------------------

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EC 50 (3h)	4.5 mg/l (Activated sludge)
------------	-----------------------------

(Contd. on page 11)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 17.05.2023

Version number 3 (replaces version 2)

Revision: 10.05.2023

Trade name MARISEAL 400W

(Contd. of page 10)

Additional ecological information:
General notes:

Do not allow product to reach ground water, water course or sewage system.
Harmful to aquatic organisms
The product contains materials that are harmful to the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Recommendation

Dispose of the product in accordance with national and local regulations.
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

08 04 15*	aqueous liquid waste containing adhesives or sealants containing organic solvents or other hazardous substances
HP14	Ecotoxic

Uncleaned packaging:
Recommendation:

Disposal must be made according to official regulations.
Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
UN "Model Regulation":	Void

EUG
(Contd. on page 12)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 17.05.2023

Version number 3 (replaces version 2)

Revision: 10.05.2023

Trade name MARISEAL 400W

(Contd. of page 11)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Regulation (EU) 528/2012 (Biocidal Product Regulation), cf. section 2

Directive 2004/42/CE (VOC), cf. section 9

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

(Contd. on page 13)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 17.05.2023

Version number 3 (replaces version 2)

Revision: 10.05.2023

Trade name MARISEAL 400W

(Contd. of page 12)

H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
---	--

Department issuing SDS: SUSTCHEM S.A
Contact:

SUSTCHEM S.A.
REACH & Chemical Services Department
A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece
T: +30 210 8252510 | F: +30 210 8252575
W: www.sustchem.gr | E: info@suschem.gr

Date of previous version: 16.11.2020
Version number of previous version: 2
Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern (REACH regulation)
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1A: Skin sensitisation – Category 1A
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.